

# 37.5® Technology - Hang Tag & Label Order Sheet



Email your order along with fabric PO to: [ORDERS@COCONA.COM](mailto:ORDERS@COCONA.COM)

BRAND		ORDER DATE	
SHIP TO INFO (REQUIRED)		SHIP METHOD (REQUIRED)	
YOUR COMPANY NAME		SHIPPING COMPANY	
SHIP TO ADDRESS		SHIPPING ACCOUNT	
COUNTRY			
PHONE			
FAX			
ATTN			
EMAIL ADDRESS			

## SEW-IN LABELS

Items	Description	MOQ	Qty Ordered (pcs)	Terms	Visual	Dimensions	Production Lead Time
CC37.5-LOGO-WVN-WH-H	Horizontal woven label - White	100		FOB HKG		15 mm x 25 mm (finished length)	4 weeks
CC37.5-LOGO-WVN-WH-V	Vertical woven label - White	100		FOB HKG		15 mm x 25 mm (finished length)	4 weeks
CC37.5-LOGO-WVN-GR-H	Horizontal woven label - Grey	100		FOB HKG		15 mm x 25 mm (finished length)	4 weeks
CC37.5-LOGO-WVN-GR-V	Vertical woven label - Grey	100		FOB HKG		15 mm x 25 mm (finished length)	4 weeks
COC-CC37.5-LOGO-WVN-BK-H	Horizontal woven label - Black	100		FOB HKG		15 mm x 25 mm (finished length)	4 weeks
COC-CC37.5-LOGO-WVN-BK-V	Vertical woven label - Black	100		FOB HKG		15 mm x 25 mm (finished length)	4 weeks
CC-37.5-TPU	Soft Frosted TPU Label for garment side seam	100		FOB HKG		27 mm x 34 mm	4 weeks





## STICKERS

CC-37.5-ACC-STK	37.5 Accessory Sticker	3000		FOB HKG		35 mm x 69 mm	4 weeks
-----------------	------------------------	------	--	---------	--	---------------	---------












## HEAT TRANSFERS

COC-375-HTR-15-1C-F	FLAT PROFILE Silver Heat Transfer - Small	300		FOB HKG		15 mm x 15 mm	4 weeks
COC-375-HTR-15-2C-F	FLAT PROFILE Silver + Aqua Heat Transfer - Small	300		FOB HKG		15 mm x 15 mm	4 weeks

## HEAT TRANSFERS

COC-375-HTR-20-1C-F	FLAT PROFILE Silver Heat Transfer - Regular	300		FOB HKG		20 mm x 20 mm	4 weeks
COC-375-HTR-20-2C-F	FLAT PROFILE Silver + Aqua Heat Transfer - Regular	300		FOB HKG		20 mm x 20 mm	4 weeks
COC-375-HTR-27-1C-F	FLAT PROFILE Silver Heat Transfer - Regular	300		FOB HKG		27 mm x 27 mm	4 weeks
COC-375-HTR-27-2C-F	FLAT PROFILE Silver + Aqua Heat Transfer - Regular	300		FOB HKG		27 mm x 27 mm	4 weeks

HANGTAGS

Items	Description	MOQ	QTY ORDERED (pcs)	Terms	Visual	Dimensions	Lead Time
CC-37.5HT-NA	English Hang Tag - LARGE	100		FOB HKG		Folded: 2.265" x 3.75" Flat: 2.265" x 7.25" Folded: 58 mm x 99 mm	4 weeks
COC-CC-37.5HT-EU	Europe Hang Tag LARGE: English, French, Italian, German, Spanish	100		FOB HKG		Folded: 2.265" x 3.75" Flat: 2.265" x 7.25" Folded: 58 mm x 99 mm	4 weeks
CC-37.5HT-LW	English Hang Tag - SMALL	100		FOB HKG		1.76" x 5.75" 44 mm x 75 mm	4 weeks
CC-37.5HT-SM-NA/SA	North America/ South America Hang Tag: English, French, Spanish, Brazilian Portuguese	100		FOB HKG		Front size: 1.76" x 5.75" Insert size: 1.75" x 5.5" Folded: 44 mm x 75 mm	4 weeks
CC37.5HT-EN-FR-IT-GE-SP	Europe Hang Tag: English, French, Italian, German, Spanish	100		FOB HKG		Front size: 1.76" x 5.75" Insert size: 1.75" x 5.5" Folded: 44 mm x 75 mm	4 weeks
CC-37.5HT-ACC	English Hang Tag - Accessories	100		FOB HKG		1.83" x 1.56" 47 mm H x 40 mm W	4 weeks
CC-37.5HT-ACC-EN-FR	English + French Hang Tag - Accessories	100		FOB HKG		2.25" x 1.75" mm H x 47 mm W	55 4 weeks
STKR-HT	Large Waterproof English Sticker Hangtag	100		FOB HKG		3.7" x 4.1"	4 weeks
37.SLONG-HT-EN	Long English Hang Tag for Suiting	100		FOB HKG		1.75" X 7.46"	4 weeks
COC37.5-HT-SQ-EN	Square Hangtag	100		FOB HKG		Folded: 2.5" x 2.5"	4 weeks
CC-37.5HT-INSU	English Insulation Hang Tag	100		FOB HKG		Folded: 2" x 3.8" Flat: 2" x 5.5"	4 weeks

Special Instructions:

Shipping Remarks:

All heat transfer labels are made to order with lead time of 3 weeks. Hang tags are provided free of charge from Cocona. Please list your shipping account details to expedite shipment.

Please send fabric sample yardage to NextGen for specific heat transfer instructions:

NextGen, Attn: Alice Ho Unit 917, 9/F, Trade Square, 681 Cheung Sha Wan Road, Kowloon, Hong Kong

Do not expose the Heat Transfer labels to direct heat, sunlight or high humidity. Storage conditions should be 0 C to 30 C with relative humidity of 70% or lower. Avoid stacking and dusty storage.